Botswana Coherent Optical Module QSFP-DD



Overview

• Digital Coherent Optics module, QSFP-DD form factor, Type 2A • IEEE 400GE or n×100GE (n = 1. 4) Ethernet compliant host interface • Coherent 400G/300G/200G/ 100G optical interface based on OpenZR+ MSA • Transmission reach > 600km at 400G, with extended reaches at. • Digital Coherent Optics module, QSFP-DD form factor, Type 2A • IEEE 400GE or n×100GE (n = 1. 4) Ethernet compliant host interface • Coherent 400G/300G/200G/ 100G optical interface based on OpenZR+ MSA • Transmission reach > 600km at 400G, with extended reaches at. Quad Small Form-factor Pluggable Double Density (QSFP-DD) solution that fits into high-density switch and router client ports for optical interconnect links Powered by Greylock and Delphi DSP ASICs, and silicon photonic integrated circuits (PICs) for an optimized co-packaged design with 3D. Cisco offers a comprehensive range of pluggable optical modules in the Cisco® pluggables portfolio. The wide variety of modules gives you flexible and cost-effective options for all types of interfaces. Cisco offers a range of GBIC, SFP, XFP, SFP+, CXP, CFP, Cisco CPAK, and QSFP+ pluggable modules. ZR+, Standard Tx output power (-10dBm), C-band tunable, Pull tab, 0°C to 70°C, LC receptacle The emerging OIF 400ZR and Open ZR+ MSA coherent transceivers in QSFP-DD and OSFP form factors generally have low transmit output power (-10 dBm), making them incompatible with ROADM networks. Consequently. Nokia's 400G QSFP-DD coherent modules (QDDCO4Z/QDDCO4/QDDCO4H) provide the capacity and optical reach of coherent optics in flexible, small-sized QSFP-DD modules. Supporting 100G to 400G capacities, the Nokia coherent modules are ideal for 400ZR and 400ZR+ router DCI applications over metro and. Today, Acacia, now part of Cisco, is adding to its award-winning, comprehensive portfolio of 400G coherent pluggable solutions, based on its Greylock 7nm Digital Signal Processor (DSP), with the new Bright 400ZR+ and ER1 400G pluggable coherent optical modules.

© 2026 AK OPTICAL SYSTEMS - All rights reserved

Article Content

Cisco 400G Digital Coherent Optics QSFP-DD Optical Modules

Product overview Cisco now offers a range of all new 400G Digital Coherent QSFP-DD transceivers. Cisco already offers a range of Digital Coherent CFP2 transceivers capable of supporting up to a 200

Acacia 400G QSFP-DD Pluggable Coherent Optical Modules

The 400G ER1 QSFP-DD pluggable coherent optical module has a rich feature set including client multiplexing and interoperability based on both OIF and OpenZR+ protocols.

Specification – QSFP-DD

July 11, 2019 – QSFP-DD Hardware Specification for QSFP DOUBLE DENSITY 8X PLUGGABLE TRANSCEIVER – Rev 5.0 May 8, 2019 – Common Management Interface

Nokia 400ZR/ZR+ Coherent Modules

The QSFP-DD is ideal for carriers who want to install coherent line optics directly into their router line cards for metro to regional data center interconnect (DCI) applications.

400G QSFP-DD DCO DWDMTunable Coherent 120km DOM

On the host side, the module can accommodate either a single IEEE 400GE Ethernet signal or multiple 100GE Ethernet signals (n = 14) that are multiplexed onto a single line interface.

400G ZR+ QSFP-DD Coherent Optical Module

It provides high-speed data channels, IIC interface module control and state alarm reporting with 3.3 V power supplied. The QSFP-DD coherent optical module uses a 76-pin connector as an electrical

400ZR Coherent QSFP-DD Optical Transceiver Module

The module is QSFP-DD type2 size (18.4 mm x 93.4 mm x 8.5 mm) and hot pluggable by a 76-pin connector. The maximum power consumption is 16.5 W and power supply voltage is +3.3V.

400Gb/s QSFP-DD ZR+ Coherent Optical Transceiver

The 400G QSFP-DD ZR+ is a C-Band optical frequency tunable coherent optical module, combines 7nm coherent DSP ASIC functionality with best in class ultra-narrow line-width tunable

© 2026 AK OPTICAL SYSTEMS - All rights reserved

Comprehensive Guide to 400G/800G QSFP-DD Optical

From a technological perspective, both 400G and 800G QSFP-DD modules benefit from significant advancements. Silicon photonics has played a

Comprehensive Guide to QSFP – MapYourTech

Service providers are deploying coherent QSFP-DD modules directly in routers, eliminating separate transponder equipment. This architecture

What is QSFP-DD CFP2 DCO DWDM coherent optical module?

The QSFP-DD CFP2 DCO DWDM coherent optical transceiver module is a high-performance optical module used for fiber optic communications. CFP2 represents its size and

Coherent 400ZR QSFP-DD Optical Transceiver Module

The UF-QDD-ZR-80 coherent module is designed for use in Data center interconnections (DCIs) links over single mode fiber. Compliant with the OIF

Coherent debuts 800Gbps QSFP-DD form-factor transceiver module

QSFP-DD and OSFP are the most popular and compact form factors used in DCI applications. The new 800G transceiver uses Coherent''s 140Gbaud IC-TROSA optical subassembly,

Cisco 400G QSFP-DD High-Power (Bright) Optical Module

Product overview Cisco is now expanding the range of 400G Digital Coherent QSFP-DD transceivers, introducing High Tx Power variants (+1dBm of Tx Power). Thanks to the miniaturization of the

NADDOD 400G QSFP-DD Coherent Modules: A Deep

NADDOD''s 400G QSFP-DD Coherent Modules provide a compact, pluggable form factor that offers open, flexible, and interoperable solutions.

400G QSFP-DD DCO ZR+ Coherent Optical Transceiver QSFP-DD

Ascent''s 400G ZR+ QSFP-DD Digital Coherent Optic Modules are 400 Gb/s Quad Small Form Factor Pluggable- double density (QSFP-DD) transceivers designed for 480 km optical

400GBASE-ZR QSFP-DD 120km Transceiver Datasheet | FS

400G QSFP-DD DCO DWDM TUNABLE COHERENT 120KM DOM TRANSCEVER Description The 400G ZR is a C-band 75G/100 GHz grid coherent optical module that combines coherent DSP ASIC

© 2026 AK OPTICAL SYSTEMS - All rights reserved

QSFP-DD Optical Transceivers Unlocking Faster

QSFP-DD Optical Transceivers deliver up to 800Gbps speeds, offering high bandwidth, energy efficiency, and compatibility for modern networks

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: https://aboutkitchens.biz
Technical inquiry: https://aboutkitchens.biz/project-desk.html
North American project location: Research Triangle Park, North Carolina, United States

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 AK OPTICAL SYSTEMS - All rights reserved