
FC is better than FB in block interface



Overview

Therefore, FBs are better suited for long-term operations and process control, while FCs are ideal for rapid calculations and data processing. What are the key differences in code execution behavior between calling a function versus a function block in TIA Portal?

In Siemens TIA Portal, the two primary user-defined program units are Functions (FCs) and Function Blocks (FBs). Both need a clear understanding of when to use them, otherwise, you will run your library in the wrong way. For example, if you want to control three motors with the same parameters, you only need to use FB programming. A Function (FC) is a logic block without memory. more Audio tracks for some languages were automatically generated. 2- Programming Language: You can program FC or FB with FBD, LAD, STL and SCL programing.

Article Content

Difference Between FC and FB in Tia Portal

Learn the difference between FC and FB in TIA Portal, including how they handle memory and their role in Siemens PLC programming.

Key Differences: Function vs. Function Block in TIA Portal

Explore the fundamental variations in code execution behavior between calling a function and a function block in Siemens TIA Portal, focusing on memory management, state retention, call

© 2026 AK OPTICAL SYSTEMS - All rights reserved

PLC Programming: FC vs FB

Every FB call requires an instance DB to store its memory. When to use what? Use FCs for logic that''s purely computational or stateless.

Difference between Functions (FC) and Function Blocks (FB) in

This article highlights the difference between functions and function blocks in Siemens PLC programming. Functions A function (FC) is a code block without memory.

Difference between FC and FB in Siemens PLC

⇒ The main difference is FC has no instance memory, while FB has an instance Data Block (DB). This instance data block saves all the parameters of In, Out, In

FB and FC difference in Siemens PLC

The biggest difference between them is that FB works with DB, and the data stored by FB is stored in DB, even if FB exits. FC does not have a permanent block of data to store data, only a

FB vs FC Explained | When to Use Function Blocks or Functions in

Understanding when to use an FB or an FC is essential for writing professional, stable, and scalable PLC programs. In this lesson, we go beyond theory and show real machine examples

What are the difference between Organizational block

FBs and FCs are blocks of code that are meant to encapsulate data+functionality and/or be called multiple times with different parameters.

FB vs FC in TIA Portal

I''ve heard that FB''s take up more system resources from the PLC than FC''s does, and that this will affect the cycle time of the CPU. How big of a difference is there is, if any?

Function (FC) and Function Block (FB)

Differences: 1- Memory: FC has no instance memory, while FB has an Instance Data Block (IDB). This IDB saves all IN, OUT, IN_OUT and STAT parameters.

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 AK OPTICAL SYSTEMS - All rights reserved

Contact Us

Continue your research online:

Website: https://aboutkitchens.biz
Technical inquiry: https://aboutkitchens.biz/project-desk.html
North American project location: Research Triangle Park, North Carolina, United States

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 AK OPTICAL SYSTEMS - All rights reserved