H3csm1310 optical module



Overview

This H3C SFP-XG-LX-SM1310-D is a high performance and cost effective SFP+ transceiver module supporting data-rate of 10. 953Gbps (10GBASE-LW) over single mode optical fiber. The SFP+ transceiver module fully complies with SFP+ Multi-Source Agreement (MSA) standards. A 1310nm optical module lets you move data efficiently through fiber optic communication networks. Buy used and refurbished server parts at cmicomputer with same-day handling on most items and free shipping! We ensure quality products with warranty. Order now! Request a bulk quantity quote above. The QSFP+ module is designed for use in 40GBASE Ethernet throughput up to 40km over single mode fibre (SMF) using a wavelength of 1310nm via duplex LC connectors. This easy to install, hot swappable.

Article Content

H3C SFP-XG-LX-SM1310-E Datasheet

This H3C SFP-XG-LX-SM1310-D is a high performance and cost effective SFP+ transceiver module supporting data-rate of 10.3125Gbps (10GBASE-LR) or 9.953Gbps (10GBASE-LW) over single mode

Everything You Need to Know About 1310nm Optical

A 1310nm optical module lets you move data efficiently through fiber optic communication networks. As part of the O-band (1260–1360 nm), it

H3C 40G QSFP+ QSFP-40G-ER4-SM1310 Transceiver Module

© 2026 AK OPTICAL SYSTEMS - All rights reserved

The QSFP+ module is designed for use in 40GBASE Ethernet throughput up to 40km over single mode fibre (SMF) using a wavelength of 1310nm via duplex LC connectors. This transceiver is compliant

Sfp-xg-lx-sm1310-e-c Datasheet

This H3C® SFP-XG-LX-SM1310-E compatible SFP+ transceiver provides 10GBase-LR throughput up to 10km over single-mode fiber (SMF) using a wavelength of 1310nm via an LC connector. It is

H3C H3C SFP-25G-LR-SM1310 Optical Module Sample

H3C provides the SFP-25G-LR-SM1310 optical module, which supports 25G Ethernet transmission up to 10 km over single-mode fiber.

H3C SFP-XG-LX-SM1310 Datasheet

H3C SFP-XG-LX-SM1310 Compatible 10GBASE-LR SFP+ Optical Transceiver Module (SMF, 1310nm, 10km, LC, DOM) Contact Us: Email: sales@compufox

MaxLink 10G SFP+ optical HP modul, SM, 1310nm, 10km, 2x LC

Maxlink ML-S+31D-10-H3C is a 10G SFP+ module with a 1310nm wavelength, two LC connectors, and a maximum transmission distance of 20km over single-mode optical fiber.

MaxLink 10G SFP+ optical HP modul, WDM(BiDi), SM, Tx

Maxlink ML-S+3327-10-H3C is a 10G SFP+ WDM module with a Tx 1330 / Rx 1270 wavelength, a single LC connector, and a maximum transmission distance of 10km over single-mode optical fiber.

SFP-GE-LX-SM1310 (02315200)

This document provides specifications and details about the SFP-GE-LX-SM1310 optical module for Huawei devices.

Acacia shipping 1.2-Tbps CIM 8 optical module

Acacia, now part of Cisco, announced via a blog that it launched shipments of its 1.2-Tbps capable Coherent Interconnect Module 8 (CIM 8) to customers at the

OSP-SM10 Optical SM 1310nm 10G SFP+ Transceiver

OSP−SM10 is a fiber optic transceiver for 1310nm single−mode signals. This standard pluggable SFP+ module has two LC connectors for reception and

2026 AI & Semiconductor Outlook: Memory, Power, Packaging Trends ...

© 2026 AK OPTICAL SYSTEMS - All rights reserved

Explore the 2026 AI and semiconductor outlook, covering HBM memory, AI servers, power architectures, advanced packaging, and supply chain shifts.

Optical Modules for Huawei S Series Switches

A switch must use optical or copper modules that have been certified for use on Huawei switches. Non-certified optical or copper modules cannot ensure transmission reliability and may affect service

Huawei Optical Modules and Cables

Buy Genuine Huawei Optical Modules and Cables from GenuineModules with best price and fast worldwide shipping.

1.25 Gbit/s SFP/eSFP Optical Module

You can use different levels of 1.25 Gbit/s SFP/eSFP optical modules with GE interfaces and 10 GE interfaces. The wavelength of common 1.25 Gbit/s SFP/eSFP optical modules can be 850

H3C Compatible SFP+ 16G Fibre Channel 1310nm 10km DOM

The H3C compatible Module provides 16GBase-LR throughput up to 10km over single-mode fiber (SMF) using a wavelength of 1310nm via an LC duplex connector. This transceiver is compliant with SFF

Huawei OMXD30000 Optical Transceiver SFP+ 10G Multi-mode Module

Discover the Huawei OMXD30000 Optical Transceiver SFP+ 10G Multi-mode Module, perfect for high-speed data transfer. Order your Huawei OMXD30000 today!

How To Turn Off Alarms For Third-Party Modules On H3C Switches

By default, a large number of alarm messages will be generated if the module is verified as non-H3C original. H3C provides CLI commands to suppress these optical module alarm

© 2026 AK OPTICAL SYSTEMS - All rights reserved

Contact Us

Continue your research online:

Website: https://aboutkitchens.biz
Technical inquiry: https://aboutkitchens.biz/project-desk.html
North American project location: Research Triangle Park, North Carolina, United States

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 AK OPTICAL SYSTEMS - All rights reserved